

BZ-2909 Super Dispersant

Composition: polymer block copolymer

Appearance: Pale yellow granules

Active portion: 99±1%

Color (Gardner): ≤8

Application range: industrial coatings, UV coatings, UV offset inks

Recommended dosage: inorganic pigment, organic pigment, carbon black

2-15%

7-15%

40-80%

Usage: The resin and dispersant should be pre-mixed, then the solvent should be added slowly under stirring until it is dissolved evenly. The pigment should be added after the additive is added. Please test the appropriate amount before use.

Features and advantages:

- 1、 Both carbon black and organic pigments show excellent grinding and dispersion effect; especially for various packaging ink system dispersion
High pigment carbon black and organic pigments have very good viscosity reduction effect.
- 2、 Suitable for UV system matting powder, dispersion of various inorganic pigment and filler, effectively inhibit pigment and filler particle agglomeration, improve the storage stability of the system, and optimize the rheological properties to reduce viscosity.

Package: 25KG non-recyclable barrel.

The lid must be tightly closed after use if the product is not completely used.

Storage: keep away from heat source, light source and avoid light.

Precautions: Carefully evaluate the specific amount in the system before use

The above information is based on the product situation. Due to different producer formula, production process and construction conditions, the above statement is for reference only. The company does not assume any legal responsibility, please test the dosage before use. The company reserves the right to improve its products and any changes in specifications will not be notified in advance.